

Botany Evolution LLC

2510 Kirby Circle NE

Palm Bay, FL 32945

321-802-4583

Certificate Of Analysis**Sample Identification Information**Date of Analysis 2/15/2018Sample: S0338Product Name GOLDLot# SIV180203YGCountry of Origin/Region

SOLOMON ISLANDS/ISABEL

Country of Processing

SOLOMON ISLANDS

Manufacture Date

02/03/18

Expiration Date

02/03/21

General Product SpecificationsProduct Species Piper MethysticumPart Used RootCommon Names

Kava kava, Awa, Yagona

Appearance

Beige powder

Analyzed Characteristics**Specification****Result****Test Method**Standardization

2-15% Kavalactones

7.89%

HPLC

Identification

Complies by HPLC

Conform

HPLC

Kavalactone Profile

Noble

PASS

HPLC

Mesh Size

60-30

60

Sieve

Color

Beige to Yellow

Pass

Visual

Odor

Pass

Organoleptic

Taste

Pass

Organoleptic

Chemotype

245631

HPLC

K/DHM

1.42

Calculation

Kavalactones	Code	Peaks Ref.	Correction Factor	Area *	Area %	Corrected Kavalactones	Chemotype Identifier
Standard Kavain	K			2989.64			
Methysticin	M	1	2.19	793.252	10.94%	0.82%	6
Dihydromethysticin	DHM	2	3.23	701.44	9.67%	1.07%	5
Kavain	K	3	1	3219.632	44.39%	1.52%	4
Dihydrokavain	DHK	4	4.21	1586.664	21.87%	3.15%	2
Desmethoxyyangonin	DMY	5	2.74	451.284	6.22%	0.58%	1
Yangonin	Y	6	3.16	501.058	6.91%	0.75%	3
Kavalactones			Total:	7253.330	100.00%	7.89%	245631

*See data in attachment HPLC1100 Agilent Certificate with Chromatogram graph.

This result are in house tested and the best of our knowledge and experience. Using calibrated equipment.

We are dedicated to offer the best Quality of Botanical products on the market. We test and stand behind our products.

Disclaimer* the test results are accurate to the best of our knowledge and are based upon reputable laboratory and industry standard testing methods.

These results should not be used as a final determination for use in a finished product. It is recommended that you verify these test results with an in house quality control department or obtain an additional independent third party lab to verify that this material meets specifications

Botany Evolution, its board of directors, contract laboratories, employees, and affiliates are held harmless from any loss or damages resulting from the use or misuse of this document. The appropriate use of this product is the sole responsibility of the user of the purchasing party.

Muste Youngs 2/16/18

SAMPLE S0346
Vial 23

0.74468g/50ml

wavelength 246 nm

C:\CHEM32\1\DATA\KAVA_2_15_2018_15MINSTDTESTMETHOD 2018-02-15 17-23-22\023->

SEQUENCE C:\CHEM32\1\DATA\KAVA_2_15_2018_ ->


Injection date 2/16/2018

Injection time 12:39:55 AM

Acq. operator KRISTL

Method C:\CHEM32\1\METHODS\KAVA15MIN STD TEST.M

DAD1 C, Sig=246,10 Ref=500,60 (KAVA_2_15_2018_15MINSTDTESTMETHOD 2018-02-15 17-23-22\023-2401.D)



#	COMPOUND	RET. TIME	AREA	AREA %	AMOUNT
1	methysticin	5.634	599.926	6.43	0.000
2	dihydromethysticin	5.929	524.036	5.62	0.000
3	kavain	6.495	5098.321	54.64	0.000
4	dihydrokavain	7.124	1706.174	18.29	0.001
5	desmethoxyyangonin	9.201	636.929	6.83	0.000
6	yangonin	9.531	765.216	8.20	0.000

KRISTL
2/16/18